European Journal of Pharmacology, 145 (1988) 363–366
Elsevier

AUTHOR INDEX

Altiere, R.J., see Thompson, D.C. (145) 231
Amantea, B., see Amoroso, S. (145) 257
Amedro, J., see Brown, L. (145) 163
Amoroso, S., Di Renzo, G., Cuocolo, R., Amantea, B., Leo, A., Taglialatela, M. and Annunziato, L.
Evidence for a differential interaction of buprenorphine with opiate receptor subtypes controlling prolactin secretion (145) 257
Annunziato, L., see Amoroso, S. (145) 257
Aram, J.A., see Davies, S.N. (145) 141
Areso, P., see García-Sevilla, J.A. (145) 91
Auguet, M., see Hellegouarch, A. (145) 245
Auriga, C., see Schudt, C. (145) 87

Bagdy, G., see Szemeredi, K. (145) 251
Baik, Y.H., see Dubé, G.P. (145) 39
Baker, T., see Storella, Jr., R.J. (145) 299
Banerjee, A.K., see Dhasmana, K.M. (145) 67
Baranes, J., see Hellegouarch, A. (145) 245
Barbanti, G., see Maggi, C.A. (145) 335
Battaglia, G., Norman, A.B. and Creese, I.
Age-related differential recovery rates of rat striatal D-1 dopamine receptors following irreversible inactivation (145) 281
Beneforti, P., see Maggi, C.A. (145) 335
Bennett, A., see Capasso, F. (145) 1
Biessels, P.T.M., see Damsma, G. (145) 15
Birdsall, N.J.M., see Schudt, C. (145) 87
Bischoff, S., see Pozza, M.F. (145) 341
Braquet, P., see Hellegouarch, A. (145) 245
Bridges, R.J., Kadri, M.M., Monaghan, D.T., Nunn, P.B., Watkins, J.C. and Cotman, C.W.
Inhibition of [^{3}H]α-amino-3-hydroxy-5-methyl-4-isoxazolepropionic acid binding by the excitotoxin β-N-oxalyl-L-α,β-diaminopropionic acid (145) 357
Brown, J.C., see Kwok, Y.N. (145) 49
Brown, L., Amedro, J., Williams, G. and Smith, D.
A pharmacological analysis of the rat spinal cord serotonin (5-HT) autoreceptor (145) 163
Bunn, S.J., see Marley, P.D. (145) 173
Burunat, E., Castro, R., Díaz-Palarea, M.D. and Rodríguez, M.
Conditioning of the early behavioral response to apomorphine in the rotational model of Parkinson's disease (145) 323

Capasso, F., Mascolo, N., Romano, V., Parkinson, N. and Bennett, A.
Potentiation by phenolphthalein of the responses of guinea-pig ileum and rat stomach strip to PGE_2 and other agonists (145) 1
Carino, M.A., see Horita, A. (145) 55
Castro, R., see Burunat, E. (145) 323
Cellerini, M., see Maggi, C.A. (145) 335
Childs, A.M., Evans, R.H. and Watkins, J.C.
The pharmacological selectivity of three NMDA antagonists (145) 81
Church, J., see Davies, S.N. (145) 141
Conte, B., see Maggi, C.A. (145) 105
Cotman, C.W., see Bridges, R.J. (145) 357
Creese, I., see Battaglia, G. (145) 281
Cuocolo, R., see Amoroso, S. (145) 257

Dahlström, B., see Karlsson, M.O. (145) 195
Damsma, G., Biessels, P.T.M., Westerink, B.H.C., De Vries, J.B. and Horn, A.S.
Differential effects of 4-aminopyridine and 2,4-diaminopyridine on the in vivo release of acetylcholine and dopamine in freely moving rats measured by intrastriatal dialysis (145) 15
Danielsson, Å., see Sundström, S. (145) 123
Davies, S.N., Martin, D., Millar, J.D., Aram, J.A., Church, J. and Lodge, D.
Differences in results from in vivo and in vitro studies on the use-dependency of N-methylaspartate antagonism by MK-801 and other phencyclidine receptor ligands (145) 141
De Boer, H.J., see Dhasmana, K.M. (145) 67
De Miranda, J.F.R., see Van Megen, Y.J.B. (145) 7
De Vries, J.B., see Damsma, G. (145) 15
Dewhurst, D.G.
Possible role of excitatory amino acids in the convulsant action of catechol (145) 209
Dhasmana, K.M., De Boer, H.J., Banerjee, A.K. and Saxena, P.R.
Analysis of the tachycardiac response to 5-hydroxytryptamine in the spinal guinea-pig (145) 67
Diamond, L., see Thompson, D.C. (145) 231
Díaz-Palarea, M.D., see Burunat, E. (145) 323
Di Renzo, G., see Amoroso, S. (145) 257
Dubé, G.P., Baik, Y.H., Van Breemen, C. and Schwartz, A.
Effects of isosorbide dinitrate and diltiazem on Ca^{2+} flux and contraction in artery (145) 39
Dudel, C. and Förstermann, U.
Gossypol attenuates selectively the blood pressure lowering effect of endothelium-dependent vasodilators in the rabbit in vivo (145) 217
Dunham, E.W., see Ma, Y.-H. (145) 153

Evans, D.B., see Harris, A.L. (145) 133
Evans, R.H., see Childs, A.M. (145) 81

Feely, M., see Garratt, J.C. (145) 75
Förstermann, U., see Dudel, C. (145) 217
Fredholm, B.B., see Lundberg, J.M. (145) 21
Furio, M., see Maggi, C.A. (145) 105

García-Sevilla, J.A., Areso, P., Giralt, M.T. and Ulibarri, I.
Uncoupling of the platelet α_2-adrenoceptor adenylate cyclase system by N-ethylmaleimide and the resulting effect on receptor density and sensitivity (145) 91
Garratt, J.C., Gent, J.P., Feely, M. and Haigh, J.R.M.
Can benzodiazepines be classified by characterising their anticonvulsant tolerance-inducing potential? (145) 75
Garritsen, A., IJzerman, A.P. and Soudijn, W.
[^{3}H]Batrachotoxinin-A 20-α-benzoate binding to sodium channels in rat brain: sensitivity to tetrodotoxin and divalent cations (145) 261
Gent, J.P., see Garratt, J.C. (145) 75
Giralt, M.T., see García-Sevilla, J.A. (145) 91
Giuliani, S., see Maggi, C.A. (145) 105
Glennon, R.A., see Lyon, R.A. (145) 291
Gragnani, L., see Maggi, C.A. (145) 105
Green, P.G. and Lee, N.M.
Dynorphin A-(1-13) attenuates withdrawal in morphine-dependent rats: effect of route of administration (145) 267
Guillon, J.-M., see Hellegouarch, A. (145) 245

Haigh, J.R.M., see Garratt, J.C. (145) 75
Hamprecht, B., see Reiser, G. (145) 273
Harris, A.L., Silver, P.J., Lemp, B.M. and Evans, D.B.
The vasorelaxant effects of milrinone and other vasodilators are attenuated by ouabain (145) 133
Hellegouarch, A., Auguet, M., Guillon, J.-M., Baranes, J., Pirotzky, E. and Braquet, P.
Lack of effect of atrial natriuretic factor on the tone induced in rat portal vein by platelet-activating factor (145) 245
Hemsén, A., see Lundberg, J.M. (145) 21
Henriksson, R., see Sundström, S. (145) 123
Hester, R.K., see Shibata, S. (145) 113
Hewson, G., Leighton, G.E., Hill, R.G. and Hughes, J.
Ketanserin antagonises the anorectic effect of DL-fenfluramine in the rat (145) 227
Hill, J., see Szemeredi, K. (145) 251
Hill, R.G., see Hewson, G. (145) 227
Horita, A., Carino, M.A. and Mori, T.
Morphine antagonizes TRH-induced intestinal transit and hyperserotonemia in rabbits (145) 55
Horn, A.S., see Damsma, G. (145) 15
Hughes, J., see Hewson, G. (145) 227

Iams, S.G., see Williams, S.P. (145) 205
IJzerman, A.P., see Garritsen, A. (145) 261
Inomata, N. and Ishihara, T.
Mechanism of inhibition by SUN 1165, a new Na channel blocking antiarrhythmic agent, of cardiac glycoside-induced triggered activity (145) 313
Ishihara, T., see Inomata, N. (145) 313
Ito, M., see Shibata, S. (145) 113

Johnson, K.M., see Snell, L.D. (145) 223

Kadri, M.M., see Bridges, R.J. (145) 357
Karlsson, M.O., Dahlström, B. and Neil, A.
Characterization of high-affinity binding sites for the antitussive [^{3}H]noscapine in guinea pig brain tissue (145) 195
Kinder, B., see Schudt, C. (145) 87
Klaassen, A.B.M., see Van Megen, Y.J.B. (145) 7
Kopin, I.J., see Szemeredi, K. (145) 251
Küng, E., see Pozza, M.F. (145) 341
Kurahashi, K., see Shibata, S. (145) 113
Kwok, Y.N., Verchere, C.B., McIntosh, C.H.S. and Brown, J.C.
Effect of galanin on endocrine secretions from the isolated perfused rat stomach and pancreas (145) 49

Larsson, O., see Lundberg, J.M. (145) 21
Lee, N.M., see Green, P.G. (145) 267
Leighton, G.E., see Hewson, G. (145) 227
Lemp, B.M., see Harris, A.L. (145) 133
Leo, A., see Amoroso, S. (145) 257
Leysen, J.E., see Schotte, A. (145) 213
Lindström, P., see Sundström, S. (145) 123
Livett, B.G., see Marley, P.D. (145) 173
Lodge, D., see Davies, S.N. (145) 141
Lundberg, J.M., Hemsén, A., Larsson, O., Rudehill, A., Saria, A. and Fredholm, B.B.
Neuropeptide Y receptor in pig spleen: binding characteristics, reduction of cyclic AMP formation and calcium antagonist inhibition of vasoconstriction (145) 21
Lyon, R.A., Titeler, M., Seggel, M.R. and Glennon, R.A.
Indolealkylamine analogs share 5-HT$_2$ binding characteristics with phenylalkylamine hallucinogens (145) 291

Ma, Y.-H. and Dunham, E.W.
Antagonism of the vasodilator effects of a platelet activating factor precursor in anesthetized spontaneously hypertensive rats (145) 153
McIntosh, C.H.S., see Kwok, Y.N. (145) 49
Maggi, C.A., Giuliani, S., Conte, B., Furio, M., Santicioli, P., Meli, P., Gragnani, L. and Meli, A.
Prostanoids modulate reflex micturition by acting through capsaicin-sensitive afferents (145) 105
Maggi, C.A., Santicioli, P., Patacchini, R., Cellerini, M., Turini, D., Barbanti, G., Beneforti, P., Rovero, P. and Meli, A.
Contractile response of the human isolated urinary bladder to neurokinins: involvement of NK-2 receptors (145) 335
Maj, J. and Wedzony, K.
The influence of oxaprotiline enantiomers given repeatedly on the behavioural effects of d-amphetamine and dopamine injected into the nucleus accumbens (145) 97

Marley, P.D., Bunn, S.J. and Livett, B.G.
Prostanoid responses of bovine adrenal medullary cells: lack of effect of opioids (145) 173
Martin, D., see Davies, S.N. (145) 141
Mascolo, N., see Capasso, F. (145) 1
Maura, G., Roccatagliata, E., Ulivi, M. and Raiteri, M.
Serotonin-glutamate interaction in rat cerebellum: involvement of 5-HT_1 and 5-HT_2 receptors (145) 31
Meli, A., see Maggi, C.A. (145) 105
Meli, A., see Maggi, C.A. (145) 335
Meli, P., see Maggi, C.A. (145) 105
Michel, A.D. and Whiting, R.L.
Methoctramine reveals heterogeneity of M_2 muscarinic receptors in longitudinal ileal smooth muscle membranes (145) 305
Michel, A.D. and Whiting, R.L.
Methoctramine, a polymethylene tetraamine, differentiates three subtypes of muscarinic receptor in direct binding studies (145) 61
Millar, J.D., see Davies, S.N. (145) 141
Monaghan, D.T., see Bridges, R.J. (145) 357
Mori, T., see Horita, A. (145) 55
Mostaghim, R., see Thomas, G. (145) 361
Motley, E.D., see Nichols, A.J. (145) 345
Mustafa, S.J., see Williams, S.P. (145) 205

Neil, A., see Karlsson, M.O. (145) 195
Nichols, A.J., Motley, E.D. and Ruffolo, Jr., R.R.
Differential effect of pertussis toxin on pre- and postjunctional α_2-adrenoceptors in the cardiovascular system of the pithed rat (145) 345
Norman, A.B., see Battaglia, G. (145) 281
Nunn, P.B., see Bridges, R.J. (145) 357

Olpe, H.-R., see Pozza, M.F. (145) 341

Parkinson, N., see Capasso, F. (145) 1
Parratt, J.R., see Wainwright, C.L. (145) 183
Patacchini, R., see Maggi, C.A. (145) 335
Pirotzky, E., see Hellegouarch, A. (145) 245
Pozza, M.F., Küng, E., Bischoff, S. and Olpe, H.-R.
The neurotensin analog xenopsin excites nigral dopamine neurons (145) 341

Raiteri, M., see Maura, G. (145) 31
Ramwell, P.W., see Thomas, G. (145) 361
Reiser, G. and Hamprecht, B.
Characterization of a substance P receptor activating a cation permeability in neuronal cell lines (145) 273
Roccatagliata, E., see Maura, G. (145) 31
Rodríguez, M., see Burunat, E. (145) 323
Romano, V., see Capasso, F. (145) 1
Rovero, P., see Maggi, C.A. (145) 335
Rubanyi, G.M. and Vanhoutte, P.M.
Potassium-free solution prevents the action but not the release of endothelium-derived relaxing factor (145) 351
Rudehill, A., see Lundberg, J.M. (145) 21
Ruffolo, Jr., R.R., see Nichols, A.J. (145) 345

Santicioli, P., see Maggi, C.A. (145) 105
Santicioli, P., see Maggi, C.A. (145) 335
Saria, A., see Lundberg, J.M. (145) 21
Satake, N., see Shibata, S. (145) 113
Saxena, P.R., see Dhasmana, K.M. (145) 67
Schotte, A. and Leysen, J.E.
Distinct autoradiographic labelling of serotonin 5-HT_2 receptors, α_1-adrenoceptors and histamine-H_1 receptors and of tetrabenazine-displaceable ketanserin binding sites in rodent brain with [^{125}I]7-amino-8-iodo-ketanserin (145) 213
Schudt, C., Auriga, C., Kinder, B. and Birdsall, N.J.M.
The binding of [^{3}H]telenzepine to muscarinic acetylcholine receptors in calf forebrain (145) 87
Schwartz, A., see Dubé, G.P. (145) 39
Seggel, M.R., see Lyon, R.A. (145) 291
Shackelford, D.P., see Williams, S.P. (145) 205
Shibata, S., Satake, N., Hester, R.K., Kurahashi, K. and Ito, M.
The mode of vasoinhibitory action of a pyridazione derivative (MCI-154), a new cardiotonic agent, on contractile responses induced by α-adrenoceptor agonists and ^{45}Ca influx in isolated vascular smooth muscles (145) 113
Silver, P.J., see Harris, A.L. (145) 133
Skarsfeldt, T.
Effect of chronic treatment with SCH 23390 and haloperidol on spontaneous activity of dopamine neurones in substantia nigra pars compacta (SNC) and ventral tegmental area (VTA) in rats (145) 239
Smith, D., see Brown, L. (145) 163
Snell, L.D., Yi, S.-J. and Johnson, K.M.
Comparison of the effects of MK-801 and phencyclidine on catecholamine uptake and NMDA-induced norepinephrine release (145) 223
Soudijn, W., see Garritsen, A. (145) 261
Storella, Jr., R.J. and Baker, T.
Activity-dependent differences between rat fast and slow neuromuscular systems (145) 299
Sundström, S., Danielsson, Å., Henriksson, R. and Lindström, P.
Characterization of dopamine-induced potassium efflux in rat parotid acinar cells (145) 123
Szemeredi, K., Zukowska-Grojec, Z., Bagdy, G., Hill, J. and Kopin, I.J.
Evidence for a direct peripheral effect of clonidine on the norepinephrine release in vivo in pithed rats (145) 251

Taglialatela, M., see Amoroso, S. (145) 257
Teunissen, M.J., see Van Megen, Y.J.B. (145) 7
Thomas, G., Mostaghim, R. and Ramwell, P.W.
Atropine- and endothelium-dependent relaxation (145) 361
Thompson, D.C., Wells, J.L., Altiere, R.J. and Diamond, L.
The effect of epithelium removal on non-adrenergic, non-cholinergic inhibitory responses in the isolated central airways of the cat and guinea pig (145) 231
Titeler, M., see Lyon, R.A. (145) 291
Turini, D., see Maggi, C.A. (145) 335

Ulibarri, I., see García-Sevilla, J.A. (145) 91
Ulivi, M., see Maura, G. (145) 31

Van Breemen, C., see Dubé, G.P. (145) 39
Vanhoutte, P.M., see Rubanyi, G.M. (145) 351
Van Megen, Y.J.B., Teunissen, M.J., Klaassen, A.B.M. and De Miranda, J.F.R.
Autoradiographic analysis of muscarinic receptors in rat nasal glands (145) 7
Verchere, C.B., see Kwok, Y.N. (145) 49
Vierling, W.
Ryanodine in mammalian heart ventricular muscle: indication for the induction of calcium leakage from the sarcoplasmic reticulum (145) 329

Wainwright, C.L. and Parratt, J.R.
An antiarrhythmic effect of adenosine during myocardial ischaemia and reperfusion (145) 183
Watkins, J.C., see Bridges, R.J. (145) 357
Watkins, J.C., see Childs, A.M. (145) 81
Wedzony, K., see Maj, J. (145) 97
Wells, J.L., see Thompson, D.C. (145) 231
Westerink, B.H.C., see Damsma, G. (145) 15
Whiting, R.L., see Michel, A.D. (145) 305
Whiting, R.L., see Michel, A.D. (145) 61
Williams, G., see Brown, L. (145) 163
Williams, S.P., Shackelford, D.P., Iams, S.G. and Mustafa, S.J.
Endothelium-dependent relaxation in estrogen-treated spontaneously hypertensive rats (145) 205

Yi, S.-J., see Snell, L.D. (145) 223

Zukowska-Grojec, Z., see Szemeredi, K. (145) 251

European Journal of Pharmacology, 145 (1988) 367–375
Elsevier

KEYWORD INDEX

Acetylcholine
Microdialysis; Dopamine; 4-Aminopyridine; 2,4-Diaminopyridine; Tetrodotoxin (Damsma, G. (145) 15)

Hypertension; Estrogen; Endothelium; Smooth muscle relaxation; ATP (Williams, S.P. (145) 205)

Prostaglandin E_1 (Alprostadil); Substance P; Adenosine triphosphate; Glyceryl trinitrate; Endothelium-derived relaxing factor; (Anaesthetized rabbit) (Dudel, C. (145) 217)

Endothelium-derived relaxing factor; Femoral artery; Na^+,K^+ pump; Smooth muscle (vascular) (Rubanyi, G.M. (145) 351)

Adenosine
Myocardial ischaemia; Dipyridamole; Arrhythmias; (Reperfusion) (Wainwright, C.L. (145) 183)

Adenosine triphosphate
Acetylcholine; Prostaglandin E_1 (Alprostadil); Substance P; Glyceryl trinitrate; Endothelium-derived relaxing factor; (Anaesthetized rabbit) (Dudel, C. (145) 217)

Adenylate cyclase
Neuropeptide Y; Phosphatidyl inositol; Felodipine; Nifedipine; Vasoconstriction; α-Adrenoceptors; Spleen; (Receptor binding) (Lundberg, J.M. (145) 21)

N-Ethylmaleimide; α_2-Adrenoceptors; Platelet aggregation (García-Sevilla, J.A. (145) 91)

Adrenal medulla
Catecholamines; Prostaglandins; Opioid peptides; Phosphatidylinositol; (Secretion) (Marley, P.D. (145) 173)

α-Adrenoceptors
Neuropeptide Y; Adenylate cyclase; Phosphatidyl inositol; Felodipine; Nifedipine; Vasoconstriction; Spleen; (Receptor binding) (Lundberg, J.M. (145) 21)

α_2-Adrenoceptors
N-Ethylmaleimide; Adenylate cyclase; Platelet aggregation (García-Sevilla, J.A. (145) 91)

α_1-Adrenoceptors
[^{125}I]7-Amino-8-iodo-ketanserin; Serotonin 5-HT_2 receptors; Histamine-H_1 receptors; Tetrabenazine-displaceable ketanserin binding site; (Autoradiography) (Schotte, A. (145) 213)

α_2-Adrenoceptors
Clonidine; Pithed rat; Plasma norepinephrine; (Presynaptic) (Szemeredi, K. (145) 251)

α_2-Adrenoceptors (prejunctional, postjunctional)
Pertussis toxin; Pithed rats; Guanine nucleotide regulatory proteins (Nichols, A.J. (145) 345)

Afterdepolarization (delayed)
SUN 1165; Cardiac glycoside; Transient inward current; Purkinje fibers; Single ventricular cells (Inomata, N. (145) 313)

Airways
Epithelium; Non-adrenergic non-cholinergic; Electrical field stimulation (Thompson, D.C. (145) 231)

4-Aminopyridine
Microdialysis; Acetylcholine; Dopamine; 2,4-Diaminopyridine; Tetrodotoxin (Damsma, G. (145) 15)

d-Amphetamine
(+)-Oxaprotiline; (−)-Oxaprotiline; Dopamine; Nucleus accumbens; Behaviour (Maj, J. (145) 97)

Anticonvulsant tolerance
Chlordiazepoxide; Nitrazepam; Midazolam (Garratt, J.C. (145) 75)

Antitussive
Noscapine; Brain; (Binding sites, Guinea pig) (Karlsson, M.O. (145) 195)

Aorta
MCI-154; Ca^{2+} (intracellular); Receptor-operated channels; ^{45}Ca influx; Methoxamine; Clonidine; (Receptor reserves, Rabbit) (Shibata, S. (145) 113)

Apomorphine
Parkinson's disease; Pharmacological conditioning; (Rotational model, Early response) (Burunat, E. (145) 323)

Arrhythmias
Myocardial ischaemia; Adenosine; Dipyridamole; (Reperfusion) (Wainwright, C.L. (145) 183)

Artrial natriuretic factor
PAF-acether; Portal vein; (Rat) (Hellegouarch, A. (145) 245)

ATP
Hypertension; Estrogen; Endothelium; Smooth muscle relaxation; Acetylcholine (Williams, S.P. (145) 205)

Atria
M_2 muscarinic receptor subtypes; Ileum; (Ligand binding) (Michel, A.D. (145) 305)

Batrachotoxin
Sodium channels; Tetrodotoxin; Divalent cations (Garritsen, A. (145) 261)

Behaviour
(+)-Oxaprotiline; (−)-Oxaprotiline; d-Amphetamine; Dopamine; Nucleus accumbens (Maj, J. (145) 97)

Brain
Noscapine; Antitussive; (Binding sites, Guinea pig) (Karlsson, M.O. (145) 195)

4-Bromo-2,5-dimethoxyphenylisopropylamine (DOB)
5-HT_2; Serotonin; Indolealkylamine (Lyon, R.A. (145) 291)

Buprenorphine
Opiate receptors; Prolactin secretion (Amoroso, S. (145) 257)

^{45}Ca influx
MCI-154; Aorta; Ca^{2+} (intracellular); Receptor-operated channels; Methoxamine; Clonidine; (Receptor reserves, Rabbit) (Shibata, S. (145) 113)

Ca^{2+} (intracellular)
MCI-154; Aorta; Receptor-operated channels; ^{45}Ca influx; Methoxamine; Clonidine; (Receptor reserves, Rabbit) (Shibata, S. (145) 113)

Calcium channel blockers
Organic nitrates; Smooth muscle (coronary); Calcium mobilization; Isometric contraction (Dubé, G.P. (145) 39)

Calcium leakage
Ryanodine; Ventricular muscle (mammalian heart); Sarcoplasmic reticulum (Vierling, W. (145) 329)

Calcium mobilization
Organic nitrates; Calcium channel blockers; Smooth muscle (coronary); Isometric contraction (Dubé, G.P. (145) 39)

Capsaicin
Micturition reflex; Urinary bladder; Prostanoids; Sensory fibers (Maggi, C.A. (145) 105)

Captopril
Platelet activating factor; Palmitylacetylglycerol; Cholinephosphotransferase; Vasodilators; Hypotension (Ma, Y.-H. (145) 153)

Cardiac glycoside
SUN 1165; Afterdepolarization (delayed); Transient inward current; Purkinje fibers; Single ventricular cells (Inomata, N. (145) 313)

Catechol
Convulsions; Excitatory amino acid antagonists (Dewhurst, D.G. (145) 209)

Catecholamines
Adrenal medulla; Prostaglandins; Opioid peptides; Phosphatidylinositol; (Secretion) (Marley, P.D. (145) 173)

Cerebellum slices
Serotonin; Glutamate release (endogenous); 5-HT_1 receptors; 5-HT_2 receptors; (Rat) (Maura, G. (145) 31)

Channel blockade
Neuromuscular systems (fast and slow); Muscle relaxants; Physostigmine; Post-tetanic decurarization; Tetanic fade (Storella, Jr., R.J. (145) 299)

Chlordiazepoxide
Nitrazepam; Midazolam; Anticonvulsant tolerance (Garratt, J.C. (145) 75)

Cholinephosphotransferase
Platelet activating factor; Palmitylacetylglycerol; Vasodilators; Hypotension; Captopril (Ma, Y.-H. (145) 153)

Clonidine
MCI-154; Aorta; Ca^{2+} (intracellular); Receptor-operated channels; ^{45}Ca influx; Methoxamine; (Receptor reserves, Rabbit) (Shibata, S. (145) 113)

α_2-Adrenoceptors; Pithed rat; Plasma norepinephrine; (Presynaptic) (Szemeredi, K. (145) 251)

Convulsions
Catechol; Excitatory amino acid antagonists (Dewhurst, D.G. (145) 209)

D-1 dopamine receptors
Senescence; Receptor turnover; N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ) (Battaglia, G. (145) 281)

2,4-Diaminopyridine
Microdialysis; Acetylcholine; Dopamine; 4-Aminopyridine; Tetrodotoxin (Damsma, G. (145) 15)

Dipyridamole
Myocardial ischaemia; Adenosine; Arrhythmias; (Reperfusion) (Wainwright, C.L. (145) 183)

Divalent cations
Sodium channels; Batrachotoxin; Tetrodotoxin (Garritsen, A. (145) 261)

DL-Fenfluramine anorexia
Ketanserin; Prazosin (Hewson, G. (145) 227)

Dopamine
Microdialysis; Acetylcholine; 4-Aminopyridine; 2,4-Diaminopyridine; Tetrodotoxin (Damsma, G. (145) 15)

(+)-Oxaprotiline; (−)-Oxaprotiline; d-Amphetamine; Nucleus accumbens; Behaviour (Maj, J. (145) 97)

Parotid gland; Rubidium efflux; Noradrenaline; (Presynaptic, postsynaptic, rat) (Sundström, S. (145) 123)

Xenopsin; Neurotensin; Substantia nigra; (Firing rates, Rat) (Pozza, M.F. (145) 341)

Dopamine uptake
[^{3}H]TCP; Phencyclidine; MK-801; N-Methyl-D-aspartate-induced release (Snell, L.D. (145) 223)

Dynorphin A-(1-13)
Morphine; Withdrawal (Green, P.G. (145) 267)

Electrical field stimulation
Epithelium; Airways; Non-adrenergic non-cholinergic (Thompson, D.C. (145) 231)

Endothelium
Hypertension; Estrogen; Smooth muscle relaxation; Acetylcholine; ATP (Williams, S.P. (145) 205)

Endothelium-derived relaxing factor
Acetylcholine; Prostaglandin E_1 (Alprostadil); Substance P; Adenosine triphosphate; Glyceryl trinitrate; (Anaesthetized rabbit) (Dudel, C. (145) 217)

Acetylcholine; Femoral artery; Na^+,K^+ pump; Smooth muscle (vascular) (Rubanyi, G.M. (145) 351)

Epithelium
Airways; Non-adrenergic non-cholinergic; Electrical field stimulation (Thompson, D.C. (145) 231)

Estrogen
Hypertension; Endothelium; Smooth muscle relaxation; Acetylcholine; ATP (Williams, S.P. (145) 205)

N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ)
D-1 dopamine receptors; Senescence; Receptor turnover (Battaglia, G. (145) 281)

N-Ethylmaleimide
Adenylate cyclase; α_2-Adrenoceptors; Platelet aggregation (García-Sevilla, J.A. (145) 91)

Excitatory amino acid antagonists
Catechol; Convulsions (Dewhurst, D.G. (145) 209)

Felodipine
Neuropeptide Y; Adenylate cyclase; Phosphatidyl inositol; Nifedipine; Vasoconstriction; α-Adrenoceptors; Spleen; (Receptor binding) (Lundberg, J.M. (145) 21)

Femoral artery
Acetylcholine; Endothelium-derived relaxing factor; Na^+,K^+ pump; Smooth muscle (vascular) (Rubanyi, G.M. (145) 351)

Galanin
Somatostatin; Gastrin; Insulin; Stomach; Pancreas (Kwok, Y.N. (145) 49)

Gastrin
Galanin; Somatostatin; Insulin; Stomach; Pancreas (Kwok, Y.N. (145) 49)

Gastrointestinal muscle
Laxatives; Phenolphthalein; Prostaglandin E_2; Histamine; 5-Hydroxytryptamine (Capasso, F. (145) 1)

Gastrointestinal tract
Morphine; TRH (Horita, A. (145) 55)

Glutamate release (endogenous)
Serotonin; Cerebellum slices; 5-HT_1 receptors; 5-HT_2 receptors; (Rat) (Maura, G. (145) 31)

Glyceryl trinitrate
Acetylcholine; Prostaglandin E_1 (Alprostadil); Substance P; Adenosine triphosphate; Endothelium-derived relaxing factor; (Anaesthetized rabbit) (Dudel, C. (145) 217)

Guanidinium
Neuropeptides; Tachykinin; Ion transport; Na^+ permeability; Neuroblastoma × glioma hybrid cells (Reiser, G. (145) 273)

Guanine nucleotide regulatory proteins
α_2-Adrenoceptors (prejunctional, postjunctional); Pertussis toxin; Pithed rats (Nichols, A.J. (145) 345)

Haloperidol
SCH 23390; Single unit recording; Substantia nigra pars compacta; Ventral tegmental area; (Chonic treatment, Rat) (Skarsfeldt, T. (145) 239)

Heart rate
5-Hydroxytryptamine; 5-Hydroxytryptamine receptors; 5-HT_1-like receptors; 5-HT_2 receptors; 5-HT_3 receptors; Serotonin; Tyramine-like action; (Guinea-pig) (Dhasmana, K.M. (145) 67)

[^{3}H]5-HT release
5-HT receptors; Trifluoromethylphenyl-piperazine; Mesulergine; 8-Hydroxy-2-(di-n-propylamino)tetralin; Quipazine (Brown, L. (145) 163)

Histamine
Gastrointestinal muscle; Laxatives; Phenolphthalein; Prostaglandin E_2; 5-Hydroxytryptamine (Capasso, F. (145) 1)

Histamine-H_1 receptors
[^{125}I]7-Amino-8-iodo-ketanserin; Serotonin 5-HT_2 receptors; α_1-Adrenoceptors; Tetrabenazine-displaceable ketanserin binding site; (Autoradiography) (Schotte, A. (145) 213)

[^{3}H]l-Quinuclidinylbenzilate binding
Nasal glands; Muscarinic receptors; (Autoradiography, Cryostat sections, Rat) (Van Megen, Y.J.B. (145) 7)

5-HT_2
Serotonin; Indolealkylamine; 4-Bromo-2,5-dimethoxyphenylisopropylamine (DOB) (Lyon, R.A. (145) 291)

[^{3}H]TCP
Phencyclidine; MK-801; Dopamine uptake; N-Methyl-D-aspartate-induced release (Snell, L.D. (145) 223)

5-HT_1-like receptors
Heart rate; 5-Hydroxytryptamine; 5-Hydroxytryptamine receptors; 5-HT_2 receptors; 5-HT_3 receptors; Serotonin; Tyramine-like action; (Guinea-pig) (Dhasmana, K.M. (145) 67)

5-HT_1 receptors
Serotonin; Glutamate release (endogenous); Cerebellum slices; 5-HT_2 receptors; (Rat) (Maura, G. (145) 31)

5-HT_2 receptors
Serotonin; Glutamate release (endogenous); Cerebellum slices; 5-HT_1 receptors; (Rat) (Maura, G. (145) 31)

Heart rate; 5-Hydroxytryptamine; 5-Hydroxytryptamine receptors; 5-HT_1-like receptors; 5-HT_3 receptors; Serotonin; Tyramine-like action; (Guinea-pig) (Dhasmana, K.M. (145) 67)

5-HT_3 receptors
Heart rate; 5-Hydroxytryptamine; 5-Hydroxytryptamine receptors; 5-HT_1-like receptors; 5-HT_2 receptors; Serotonin; Tyramine-like action; (Guinea-pig) (Dhasmana, K.M. (145) 67)

5-HT receptors
[^{3}H]5-HT release; Trifluoromethylphenyl-piperazine; Mesulergine; 8-Hydroxy-2-(di-n-propylamino)tetralin; Quipazine (Brown, L. (145) 163)

8-Hydroxy-2-(di-n-propylamino)tetralin
5-HT receptors; [^{3}H]5-HT release; Trifluoromethylphenylpiperazine; Mesulergine; Quipazine (Brown, L. (145) 163)

5-Hydroxytryptamine
Gastrointestinal muscle; Laxatives; Phenolphthalein; Prostaglandin E_2; Histamine (Capasso, F. (145) 1)

Heart rate; 5-Hydroxytryptamine receptors; 5-HT_1-like receptors; 5-HT_2 receptors; 5-HT_3 receptors; Serotonin; Tyramine-like action; (Guinea-pig) (Dhasmana, K.M. (145) 67)

5-Hydroxytryptamine receptors
Heart rate; 5-Hydroxytryptamine; 5-HT_1-like receptors; 5-HT_2 receptors; 5-HT_3 receptors; Serotonin; Tyramine-like action; (Guinea-pig) (Dhasmana, K.M. (145) 67)

Hypertension
Estrogen; Endothelium; Smooth muscle relaxation; Acetylcholine; ATP (Williams, S.P. (145) 205)

Hypotension
Platelet activating factor; Palmitylacetylglycerol; Cholinephosphotransferase; Vasodilators; Captopril (Ma, Y.-H. (145) 153)

[^{125}I]7-Amino-8-iodo-ketanserin
Serotonin 5-HT_2 receptors; α_1-Adrenoceptors; Histamine-H_1 receptors; Tetrabenazine-displaceable ketanserin binding site; (Autoradiography) (Schotte, A. (145) 213)

Ileum
M_2 muscarinic receptor subtypes; Atria; (Ligand binding) (Michel, A.D. (145) 305)

Indolealkylamine
5-HT_2; Serotonin; 4-Bromo-2,5-dimethoxyphenylisopropylamine (DOB) (Lyon, R.A. (145) 291)

Insulin
Galanin; Somatostatin; Gastrin; Stomach; Pancreas (Kwok, Y.N. (145) 49)

Ion transport
Neuropeptides; Tachykinin; Guanidinium; Na^+ permeability; Neuroblastoma × glioma hybrid cells (Reiser, G. (145) 273)

Isometric contraction
Organic nitrates; Calcium channel blockers; Smooth muscle (coronary); Calcium mobilization (Dubé, G.P. (145) 39)

Ketamine
MK-801; Phencyclidine; NMA antagonists; (Use dependence) (Davies, S.N. (145) 141)

Ketanserin
Prazosin; DL-Fenfluramine anorexia (Hewson, G. (145) 227)

Laxatives
Gastrointestinal muscle; Phenolphthalein; Prostaglandin E_2; Histamine; 5-Hydroxytryptamine (Capasso, F. (145) 1)

MCI-154
Aorta; Ca^{2+} (intracellular); Receptor-operated channels; ^{45}Ca influx; Methoxamine; Clonidine; (Receptor reserves, Rabbit) (Shibata, S. (145) 113)

Mesulergine
5-HT receptors; [^{3}H]5-HT release; Trifluoromethylphenyl-

piperazine; 8-Hydroxy-2-(di-n-propylamino)tetralin; Quipazine (Brown, L. (145) 163)

Methoxamine
MCI-154; Aorta; Ca^{2+} (intracellular); Receptor-operated channels; ^{45}Ca influx; Clonidine; (Receptor reserves, Rabbit) (Shibata, S. (145) 113)

N-Methyl-D-aspartate-induced release
[^{3}H]TCP; Phencyclidine; MK-801; Dopamine uptake (Snell, L.D. (145) 223)

Microdialysis
Acetylcholine; Dopamine; 4-Aminopyridine; 2,4-Diaminopyridine; Tetrodotoxin (Damsma, G. (145) 15)

Micturition reflex
Urinary bladder; Prostanoids; Capsaicin; Sensory fibers (Maggi, C.A. (145) 105)

Midazolam
Chlordiazepoxide; Nitrazepam; Anticonvulsant tolerance (Garratt, J.C. (145) 75)

Milrinone
Ouabain; Vascular smooth muscle (Harris, A.L. (145) 133)

MK-801
Phencyclidine; Ketamine; NMA antagonists; (Use dependence) (Davies, S.N. (145) 141)

[^{3}H]TCP; Phencyclidine; Dopamine uptake; N-Methyl-D-aspartate-induced release (Snell, L.D. (145) 223)

M_2 muscarinic receptor selective ligand
Muscarinic receptors; (Ligand binding) (Michel, A.D. (145) 61)

M_2 muscarinic receptor subtypes
Ileum; Atria; (Ligand binding) (Michel, A.D. (145) 305)

Morphine
Gastrointestinal tract; TRH (Horita, A. (145) 55)

Dynorphin A-(1-13); Withdrawal (Green, P.G. (145) 267)

Motoneurones
NMDA antagonists; Spinal cord; (Electrophysiology) (Childs, A.M. (145) 81)

Muscarinic receptors
Nasal glands; [^{3}H]l-Quinuclidinylbenzilate binding; (Autoradiography, Cryostat sections, Rat) (Van Megen, Y.J.B. (145) 7)

M_2 muscarinic receptor selective ligand; (Ligand binding) (Michel, A.D. (145) 61)

Muscarinic receptor subtypes
Telenzepine; Pirenzepine (Schudt, C. (145) 87)

Muscle relaxants
Channel blockade; Neuromuscular systems (fast and slow); Physostigmine; Post-tetanic decurarization; Tetanic fade (Storella, Jr., R.J. (145) 299)

Myocardial ischaemia
Adenosine; Dipyridamole; Arrhythmias; (Reperfusion) (Wainwright, C.L. (145) 183)

Na^+,K^+ pump
Acetylcholine; Endothelium-derived relaxing factor; Femoral artery; Smooth muscle (vascular) (Rubanyi, G.M. (145) 351)

Na^+ permeability
Neuropeptides; Tachykinin; Ion transport; Guanidinium; Neuroblastoma × glioma hybrid cells (Reiser, G. (145) 273)

Nasal glands
[^{3}H]l-Quinuclidinylbenzilate binding; Muscarinic receptors; (Autoradiography, Cryostat sections, Rat) (Van Megen, Y.J.B. (145) 7)

Neuroblastoma × glioma hybrid cells
Neuropeptides; Tachykinin; Ion transport; Guanidinium; Na^+ permeability (Reiser, G. (145) 273)

Neurokinin receptors
Neurokinins; Urinary bladder; (Human) (Maggi, C.A. (145) 335)

Neurokinins
Urinary bladder; Neurokinin receptors; (Human) (Maggi, C.A. (145) 335)

Neuromuscular systems (fast and slow)
Channel blockade; Muscle relaxants; Physostigmine; Post-tetanic decurarization; Tetanic fade (Storella, Jr., R.J. (145) 299)

Neuropeptides
Tachykinin; Ion transport; Guanidinium; Na^+ permeability; Neuroblastoma × glioma hybrid cells (Reiser, G. (145) 273)

Neuropeptide Y
Adenylate cyclase; Phosphatidyl inositol; Felodipine; Nifedipine; Vasoconstriction; α-Adrenoceptors; Spleen; (Receptor binding) (Lundberg, J.M. (145) 21)

Neurotensin
Xenopsin; Dopamine; Substantia nigra; (Firing rates, Rat) (Pozza, M.F. (145) 341)

Nifedipine
Neuropeptide Y; Adenylate cyclase; Phosphatidyl inositol; Felodipine; Vasoconstriction; α-Adrenoceptors; Spleen; (Receptor binding) (Lundberg, J.M. (145) 21)

Nitrazepam
Chlordiazepoxide; Midazolam; Anticonvulsant tolerance (Garratt, J.C. (145) 75)

NMA antagonists
MK-801; Phencyclidine; Ketamine; (Use dependence) (Davies, S.N. (145) 141)

NMDA antagonists
Motoneurones; Spinal cord; (Electrophysiology) (Childs, A.M. (145) 81)

Non-adrenergic non-cholinergic
Epithelium; Airways; Electrical field stimulation (Thompson, D.C. (145) 231)

Noradrenaline
Parotid gland; Rubidium efflux; Dopamine; (Presynaptic, postsynaptic, rat) (Sundström, S. (145) 123)

Noscapine
Brain; Antitussive; (Binding sites, Guinea pig) (Karlsson, M.O. (145) 195)

Nucleus accumbens
(+)-Oxaprotiline; (−)-Oxaprotiline; d-Amphetamine; Dopamine; Behaviour (Maj, J. (145) 97)

Opiate receptors
Buprenorphine; Prolactin secretion (Amoroso, S. (145) 257)

Opioid peptides
Adrenal medulla; Catecholamines; Prostaglandins; Phosphatidylinositol; (Secretion) (Marley, P.D. (145) 173)

Organic nitrates
Calcium channel blockers; Smooth muscle (coronary); Calcium mobilization; Isometric contraction (Dubé, G.P. (145) 39)

Ouabain
Milrinone; Vascular smooth muscle (Harris, A.L. (145) 133)

(+)-Oxaprotiline
(−)-Oxaprotiline; d-Amphetamine; Dopamine; Nucleus accumbens; Behaviour (Maj, J. (145) 97)

(−)-Oxaprotiline
(+)-Oxaprotiline; d-Amphetamine; Dopamine; Nucleus accumbens; Behaviour (Maj, J. (145) 97)

PAF-acether
Artrial natriuretic factor; Portal vein; (Rat) (Hellegouarch, A. (145) 245)

Palmitylacetylglycerol
Platelet activating factor; Cholinephosphotransferase; Vasodilators; Hypotension; Captopril (Ma, Y.-H. (145) 153)

Pancreas
Galanin; Somatostatin; Gastrin; Insulin; Stomach (Kwok, Y.N. (145) 49)

Parkinson's disease
Apomorphine; Pharmacological conditioning; (Rotational model, Early response) (Burunat, E. (145) 323)

Parotid gland
Rubidium efflux; Dopamine; Noradrenaline; (Presynaptic, postsynaptic, rat) (Sundström, S. (145) 123)

Pertussis toxin
α_2-Adrenoceptors (prejunctional, postjunctional); Pithed rats; Guanine nucleotide regulatory proteins (Nichols, A.J. (145) 345)

Pharmacological conditioning
Apomorphine; Parkinson's disease; (Rotational model, Early response) (Burunat, E. (145) 323)

Phencyclidine
MK-801; Ketamine; NMA antagonists; (Use dependence) (Davies, S.N. (145) 141)

[^{3}H]TCP; MK-801; Dopamine uptake; N-Methyl-D-aspartate-induced release (Snell, L.D. (145) 223)

Phenolphthalein
Gastrointestinal muscle; Laxatives; Prostaglandin E_2; Histamine; 5-Hydroxytryptamine (Capasso, F. (145) 1)

Phosphatidyl inositol
Neuropeptide Y; Adenylate cyclase; Felodipine; Nifedipine; Vasoconstriction; α-Adrenoceptors; Spleen; (Receptor binding) (Lundberg, J.M. (145) 21)

Phosphatidylinositol
Adrenal medulla; Catecholamines; Prostaglandins; Opioid peptides; (Secretion) (Marley, P.D. (145) 173)

Physostigmine
Channel blockade; Neuromuscular systems (fast and slow); Muscle relaxants; Post-tetanic decurarization; Tetanic fade (Storella, Jr., R.J. (145) 299)

Pirenzepine
Muscarinic receptor subtypes; Telenzepine (Schudt, C. (145) 87)

Pithed rat
α_2-Adrenoceptors; Clonidine; Plasma norepinephrine; (Presynaptic) (Szemeredi, K. (145) 251)

Pithed rats
α_2-Adrenoceptors (prejunctional, postjunctional); Pertussis toxin; Guanine nucleotide regulatory proteins (Nichols, A.J. (145) 345)

Plasma norepinephrine
α_2-Adrenoceptors; Clonidine; Pithed rat; (Presynaptic) (Szemeredi, K. (145) 251)

Platelet activating factor
Palmitylacetylglycerol; Cholinephosphotransferase; Vasodilators; Hypotension; Captopril (Ma, Y.-H. (145) 153)

Platelet aggregation
N-Ethylmaleimide; Adenylate cyclase; α_2-Adrenoceptors (García-Sevilla, J.A. (145) 91)

Portal vein
Artrial natriuretic factor; PAF-acether; (Rat) (Hellegouarch, A. (145) 245)

Post-tetanic decurarization
Channel blockade; Neuromuscular systems (fast and slow); Muscle relaxants; Physostigmine; Tetanic fade (Storella, Jr., R.J. (145) 299)

Prazosin
Ketanserin; DL-Fenfluramine anorexia (Hewson, G. (145) 227)

Prolactin secretion
Buprenorphine; Opiate receptors (Amoroso, S. (145) 257)

Prostaglandin E_2
Gastrointestinal muscle; Laxatives; Phenolphthalein; Histamine; 5-Hydroxytryptamine (Capasso, F. (145) 1)

Prostaglandin E_1 (Alprostadil)
Acetylcholine; Substance P; Adenosine triphosphate; Glyceryl trinitrate; Endothelium-derived relaxing factor; (Anaesthetized rabbit) (Dudel, C. (145) 217)

Prostaglandins
Adrenal medulla; Catecholamines; Opioid peptides; Phosphatidylinositol; (Secretion) (Marley, P.D. (145) 173)

Prostanoids
Micturition reflex; Urinary bladder; Capsaicin; Sensory fibers (Maggi, C.A. (145) 105)

Purkinje fibers
SUN 1165; Cardiac glycoside; Afterdepolarization (delayed); Transient inward current; Single ventricular cells (Inomata, N. (145) 313)

Quipazine
5-HT receptors; [^{3}H]5-HT release; Trifluoromethylphenylpiperazine; Mesulergine; 8-Hydroxy-2-(di-n-propylamino)tetralin (Brown, L. (145) 163)

Receptor-operated channels
MCI-154; Aorta; Ca^{2+} (intracellular); ^{45}Ca influx; Methoxamine; Clonidine; (Receptor reserves, Rabbit) (Shibata, S. (145) 113)

Receptor turnover
D-1 dopamine receptors; Senescence; N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ) (Battaglia, G. (145) 281)

Rubidium efflux
Parotid gland; Dopamine; Noradrenaline; (Presynaptic, postsynaptic, rat) (Sundström, S. (145) 123)

Ryanodine
Ventricular muscle (mammalian heart); Sarcoplasmic reticulum; Calcium leakage (Vierling, W. (145) 329)

Sarcoplasmic reticulum
Ryanodine; Ventricular muscle (mammalian heart); Calcium leakage (Vierling, W. (145) 329)

SCH 23390
Haloperidol; Single unit recording; Substantia nigra pars compacta; Ventral tegmental area; (Chonic treatment, Rat) (Skarsfeldt, T. (145) 239)

Senescence
D-1 dopamine receptors; Receptor turnover; N-Ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ) (Battaglia, G. (145) 281)

Sensory fibers
Micturition reflex; Urinary bladder; Prostanoids; Capsaicin (Maggi, C.A. (145) 105)

Serotonin
Glutamate release (endogenous); Cerebellum slices; 5-HT_1 receptors; 5-HT_2 receptors; (Rat) (Maura, G. (145) 31)

Heart rate; 5-Hydroxytryptamine; 5-Hydroxytryptamine receptors; 5-HT_1-like receptors; 5-HT_2 receptors; 5-HT_3 receptors; Tyramine-like action; (Guinea-pig) (Dhasmana, K.M. (145) 67)

5-HT_2; Indolealkylamine; 4-Bromo-2,5-dimethoxyphenylisopropylamine (DOB) (Lyon, R.A. (145) 291)

Serotonin 5-HT_2 receptors
[^{125}I]7-Amino-8-iodo-ketanserin; α_1-Adrenoceptors; Histamine-H_1 receptors; Tetrabenazine-displaceable ketanserin binding site; (Autoradiography) (Schotte, A. (145) 213)

Single unit recording
SCH 23390; Haloperidol; Substantia nigra pars compacta; Ventral tegmental area; (Chonic treatment, Rat) (Skarsfeldt, T. (145) 239)

Single ventricular cells
SUN 1165; Cardiac glycoside; Afterdepolarization (delayed); Transient inward current; Purkinje fibers (Inomata, N. (145) 313)

Smooth muscle (coronary)
Organic nitrates; Calcium channel blockers; Calcium mobilization; Isometric contraction (Dubé, G.P. (145) 39)

Smooth muscle relaxation
Hypertension; Estrogen; Endothelium; Acetylcholine; ATP (Williams, S.P. (145) 205)

Smooth muscle (vascular)
Acetylcholine; Endothelium-derived relaxing factor; Femoral artery; Na^+,K^+ pump (Rubanyi, G.M. (145) 351)

Sodium channels
Batrachotoxin; Tetrodotoxin; Divalent cations (Garritsen, A. (145) 261)

Somatostatin
Galanin; Gastrin; Insulin; Stomach; Pancreas (Kwok, Y.N. (145) 49)

Spinal cord
NMDA antagonists; Motoneurones; (Electrophysiology) (Childs, A.M. (145) 81)

Spleen
Neuropeptide Y; Adenylate cyclase; Phosphatidyl inositol; Felodipine; Nifedipine; Vasoconstriction; α-Adrenoceptors; (Receptor binding) (Lundberg, J.M. (145) 21)

Stomach
Galanin; Somatostatin; Gastrin; Insulin; Pancreas (Kwok, Y.N. (145) 49)

Substance P
Acetylcholine; Prostaglandin E_1 (Alprostadil); Adenosine triphosphate; Glyceryl trinitrate; Endothelium-derived relaxing factor; (Anaesthetized rabbit) (Dudel, C. (145) 217)

Substantia nigra
Xenopsin; Neurotensin; Dopamine; (Firing rates, Rat) (Pozza, M.F. (145) 341)

Substantia nigra pars compacta
SCH 23390; Haloperidol; Single unit recording; Ventral tegmental area; (Chonic treatment, Rat) (Skarsfeldt, T. (145) 239)

SUN 1165
Cardiac glycoside; Afterdepolarization (delayed); Transient inward current; Purkinje fibers; Single ventricular cells (Inomata, N. (145) 313)

Tachykinin
Neuropeptides; Ion transport; Guanidinium; Na^+ permeability; Neuroblastoma × glioma hybrid cells (Reiser, G. (145) 273)

Telenzepine
Muscarinic receptor subtypes; Pirenzepine (Schudt, C. (145) 87)

Tetanic fade
Channel blockade; Neuromuscular systems (fast and slow); Muscle relaxants; Physostigmine; Post-tetanic decurarization (Storella, Jr., R.J. (145) 299)

Tetrabenazine-displaceable ketanserin binding site
[^{125}I]7-Amino-8-iodo-ketanserin; Serotonin 5-HT_2 receptors; α_1-Adrenoceptors; Histamine-H_1 receptors; (Autoradiography) (Schotte, A. (145) 213)

Tetrodotoxin
Microdialysis; Acetylcholine; Dopamine; 4-Aminopyridine; 2,4-Diaminopyridine (Damsma, G. (145) 15)

Sodium channels; Batrachotoxin; Divalent cations (Garritsen, A. (145) 261)

Transient inward current
SUN 1165; Cardiac glycoside; Afterdepolarization (delayed); Purkinje fibers; Single ventricular cells (Inomata, N. (145) 313)

TRH
Morphine; Gastrointestinal tract (Horita, A. (145) 55)

Trifluoromethylphenyl-piperazine
5-HT receptors; [^{3}H]5-HT release; Mesulergine; 8-Hydroxy-2-(di-n-propylamino)tetralin; Quipazine (Brown, L. (145) 163)

Tyramine-like action
Heart rate; 5-Hydroxytryptamine; 5-Hydroxytryptamine receptors; 5-HT_1-like receptors; 5-HT_2 receptors; 5-HT_3 receptors; Serotonin; (Guinea-pig) (Dhasmana, K.M. (145) 67)

Urinary bladder
Micturition reflex; Prostanoids; Capsaicin; Sensory fibers (Maggi, C.A. (145) 105)

Neurokinins; Neurokinin receptors; (Human) (Maggi, C.A. (145) 335)

Vascular smooth muscle
Milrinone; Ouabain (Harris, A.L. (145) 133)

Vasoconstriction
Neuropeptide Y; Adenylate cyclase; Phosphatidyl inositol; Felodipine; Nifedipine; α-Adrenoceptors; Spleen; (Receptor binding) (Lundberg, J.M. (145) 21)

Vasodilators
Platelet activating factor; Palmitylacetylglycerol; Cholinephosphotransferase; Hypotension; Captopril (Ma, Y.-H. (145) 153)

Ventral tegmental area
SCH 23390; Haloperidol; Single unit recording; Substantia nigra pars compacta; (Chonic treatment, Rat) (Skarsfeldt, T. (145) 239)

Ventricular muscle (mammalian heart)
Ryanodine; Sarcoplasmic reticulum; Calcium leakage (Vierling, W. (145) 329)

Withdrawal
Dynorphin A-(1-13); Morphine (Green, P.G. (145) 267)

Xenopsin
Neurotensin; Dopamine; Substantia nigra; (Firing rates, Rat) (Pozza, M.F. (145) 341)